



Plymasters

Building Product Information Sheet

Designated building product: Class 1

Product

Name	Rapidline Birch
------	-----------------

Description

Economy grade Birch on Poplar ply core. Un-finished. Specifically for budget conscious projects. Non-structural CD grade ply.

Technical Specs

Available Sizes	2400 x 1200
Available Thickness	9mm
Colour	Light Straw/ Creamy coloured timber Grain
Cut	Rotary Cut
Glue bond	MR -Phenolic
Origin	China
Core	Poplar
Environmental	CE & FSC Certified Manufacturer

Ideal Uses

- Wall and Ceiling Linings for Sheds
- Sleep-out Linings
- Bach's & Man Cave Linings
- Lights Commercial Projects

Limitations of Use

Not for exposed external use. Not for use in fire surrounding applications. Not to be used in areas directly exposed to water.

Handling & Application/ Plywood is a natural product that can be affected by changes in weather conditions: moisture and temperature. Increased moisture content or temperature variation may cause internal stresses causing previously flat sheets to bow. At Plymasters, precautions are taken to minimize this effect. However, once the plywood has left our warehouse we cannot guarantee sheets to remain flat unless fastened. This is particularly important with pine ply (as it is a softwood), where free standing kitchen/cabinet doors are concerned. When storing panels, stack on a firm raised base with enough support to prevent sagging. Cover the pallet to protect top and edges.





Plymasters

Building Product Information Sheet

Designated building product: Class 1

Importing Details

Place of Manufacture	Overseas
Legal/ Trading Name of the Manufacturer	Shandong-Hedong Trading Company
Legal/ Trading Name of the Importer	Plymasters Limited Partnership trading as Plymasters
Address of Importer	281 Heads Road, Castlecliff, Whanganui 4501
Importer Website	Plymasters.co.nz
Importer Email	sales@plymasters.co.nz
Importer Phone Number	0800 344 112
Importer New Zealand Business Number (NZBN)	9429047708815

Contributions to Compliance

- B2 Durability B2.3.1 (c)
- F2 Hazardous Building Materials F2.3.1
- B2/AS1 table 1
- Class 1 - Dry Conditions [EN636-1]

Supporting Documentation

For further information, please refer to our website and spec sheet.

