




Plymasters



Trade Gripdeck

Wire mesh anti-slip with
a phenolic coating on a
Eucalyptus core



Trade Gripdeck

Wire-mesh anti-slip with a phenolic coating on a Eucalyptus core.

Key Features:



Core
Eucalyptus Core



Face
Brown
Wire-mesh




Use
Exterior/Interior



Durability
Hard Wearing



Life Expectancy
2+ years




Size
2440x1220
3050x1525mm

Code	Size	Thickness	Core	Weight	Face
F1030-E	2440 x 1220	12mm	Eucalyptus	23.6kg	Anti-slip face/smooth back
F1041-E	2440 x 1220	18mm	Eucalyptus	35.4kg	Anti-slip face/smooth back
F1032-E	3050 x 1525	12mm	Eucalyptus	36.8kg	Anti-slip face/smooth back

Scope of Use:

- Transport and ute decks
- Scaffolding
- Ramps
- Walkway
- Exterior Stair treads

Face:



Trade Gripdeck

Wire-mesh anti-slip with a phenolic coating on a Eucalyptus core.

Technical Specs

Core	Eucalyptus Core
Glue bond	WBP Phenolic - Exterior grade glueline
Origin	China

Limitations of use

While Trade Gripdeck can be used in exterior applications it cannot be used in areas permanently exposed to water such as pools and showers.

Application

Trade Gripdeck anti-slip is made for interior and exterior applications, however an exterior grade sealant must be used on all cut edges and around any screws and holes to ensure water resistance and product longevity.

Handling

Plywood is a natural product that can be affected by changes in weather conditions: moisture and temperature. Increased moisture content or temperature variation may cause internal stresses causing previously flat sheets to bow.

At Plymasters, precautions are taken to minimise this effect. However, once the plywood has left our warehouse we cannot guarantee sheets to remain flat unless fastened. This is particularly important where free standing kitchen/cabinet doors are concerned. When storing panels, stack on a firm raised base with enough support to prevent sagging. Cover the pallet to protect top and edges.

Sealing and Coating Recommendations

To ensure water tightness and longevity please seal all cut edges and any screw and nail holes.

Preparation for Cutting

Please inspect plywood for defects before cutting. We cannot replace altered sheets.

Fixing

Exterior grade screws are required for exterior use.

Our products can be found on:



ARCHIPRO



Trade Gripdeck

Wire-mesh anti-slip with a phenolic coating on a Eucalyptus core.

Gripdeck Range

Plymasters offers a range of anti-slip plywood with a phenolic coating to ensure resistance to wear and tear. Available in a selection of finishes, allowing you to choose the right option to meet your project needs:

Premium Euro Gripdeck

This is our top-of-the-range anti-slip board. European-made in Finland from certified Euro Birch, with a hard-wearing dark-brown wire-mesh face that grips even when wet. It's the one engineers across New Zealand reach for when a ute deck, trailer or vehicle fit-out needs to look good and last for years.

Genuine European birch panel built to European standards, it's flatter, tougher and longer-lasting than the alternatives. Reach for Euro whenever the job is outdoors and quality and long service life matter most.

 Core European Birch	 Origin Finland	 Face Dark brown, Wire Mesh	 Use Exterior	 Thickness 12, 15, 18, 21mm	 Sizing Up to 3650 x 2000 mm	 Expected Life 5+ Years
---	--	--	--	--	---	--

Value Trade Gripdeck

Trade is the smart-budget choice. The same wire-mesh anti-slip face and the same everyday performance as the rest of the range, at a lower price.

It's built on a eucalyptus core with a durable brown phenolic surface, and it handles both exterior and interior work: transport and ute decks, scaffolding, ramps and walkways.

 Core Eucalyptus	 Origin China	 Face Brown, Wire Mesh	 Use Exterior/ Interior	 Thickness 12, 18mm	 Sizing 2440x1220 3050x1525mm	 Expected Life 2+ Years
---	--	---	---	--	---	--

Interior Specialist Hexa-Interior Gripdeck

Hexa-Interior is the board for indoor jobs. It has a birch/eucalyptus core and a durable dark-brown hexagon-pattern face, and it's certified for internal, non-structural use with low formaldehyde, so it's ideal where the work is inside and air quality matters.

Think interior transport flooring and vehicle fit-outs: van floors and drawers, shop-fitting, interior walkways and freight boxes.

 Core Birch / Eucalyptus	 Origin China	 Face Dark brown, Hexagon	 Use Interior	 Thickness 12, 18mm	 Sizing 2440x1220 3050x1525mm	 Expected Life 5+ Years (Internal use)
---	--	--	--	--	---	--



